

Generator

Make electricity with Avant! – There are two generator models available: with 3,5 kVA or with 6,5 kVA output. The smaller model is equipped with 2x230V electric outlets, the 6,5 kVA model with 1x400V and 2x230V outlets. Generators can be used as a power source for power tools and small electrical appliances in places where net current is not available. High quality generators also guarantee electric current supply during power outages.

Power Packs



- Make electricity with Avant in places where mains current is not available
- For power tools, small electric appliances and electricity during shorter power outages
- Generators with single phase and also three phase power available
- With rear mounting the generator is always available, and other attachments can be mounted in the front

Power	Outlets	Mount	Product no
3,5 kVA	2 x 230V	Front	A35407
3,5 kVA	2 x 230V	Rear*	A35454
6,5 kVA	2x230V & 1x400V	Front	A35408
6,5 kVA	2x230V & 1x400V	Rear*	A35455

*) Rear mounting set is included, requires double acting rear auxiliary hydraulics from the loader (Rear mounting is not available for 200, 300, R and e series)

Model	220	225	225LPG	313S	320S	320S+	420	423	520	523	525LPG	528	530	R20	R28	R35	630	635	640	745	750	755i	760i	e5	e6	
3.5 kVA																										
6.5 kVA																										

Very compatible Compatible Incompatible

Compressor

Makes it possible to have compressed air anywhere you go. Creates max. 400 l/min air flow @ 8 bar pressure. Can be used for running power tools and, for example, filling of large tyres in places where electric current is not available, and for cleaning of big machines like combined harvesters etc.



- Easy way to get compressed air e.g. for pneumatic power tools
- Makes it possible to fill large tyres (agricultural & construction machines for example) in places where electric current is not available
- Fast cleaning of big machines with compressed air: combined harvester, construction machinery etc.
- With rear mounting the compressor is always available, and other attachments can be mounted in the front

Mount	Product no
Front	A35409
Rear*	A35456

*) Rear mounting set is included, requires double acting rear auxiliary hydraulics from the loader (Rear mounting is not available for 200, 300, R and e series)

220	225	225LPG	313S	320S	320S+	420	423	520	523	525LPG	528	530	R20	R28	R35	630	635	640	745	750	755i	760i	e5	e6	

Very compatible Compatible Incompatible



Pressure washer

Powerful pressure washer with 20 m hose reel and a washing gun; easy to take anywhere with the Avant. Creates max. 30 l/min water flow @ 200 bar pressure. Can be connected directly to tap water supply, or water can be taken with the inlet hose from any reservoir. Can suck water via inlet hose from as much as 3 m below the level where the unit is. This is a very useful feature when taking water from a tank, reservoir, lake etc.

- **Powerful washer with high max. water flow and pressure**
- **Can be connected directly to tap, or with the inlet hose take water from as much as 3 m below ground level**
- **Equipped with 20 m hose reel and washing gun**
- **With rear mounting the washer is always available, and other attachments can be mounted in the front**



Mount	Max. water flow	Product no
Front	30 l/min @ 200 bar	A35411
Rear*	30 l/min @ 200 bar	A35457

*) Rear mounting set is included, requires double acting rear auxiliary hydraulics from the loader (Rear mounting is not available for 200, 300, R and e series)

220	225	225LPG	313S	320S	320S+	420	423	520	523	525LPG	528	530	R20	R28	R35	630	635	640	745	750	755i	760i	e5	e6	



Very compatible



Compatible



Incompatible



AVANT[®]

AVANT Tecno OY
Ylotie 1
33470 YLOJARVI
FINLAND

Tel. +358 3 347 8800
sales@avanttecno.com



AVANT has a policy of continuing improvement,
and retains the right to change specifications without notice.
© 2018 AVANT Tecno Oy. All rights reserved.

www.avanttecno.com